

Docket No.: 275190US0PCT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION: Yoshimasa ANDO, et al.

SERIAL NO.: 10/542,110

GAU: 1764

FILED: July 13, 2005

EXAMINER: MANOHARAN, Virginia

FOR: SUPPORT BEAM FOR EASILY POLYMERIZABLE SUBSTANCE TREATMENT
DEVICE AND EASILY POLY-MERIZABLE SUBSTANCE TREATMENT DEVICE

LETTER SUBMITTING ANNOTATED AND REPLACEMENT DRAWING SHEET(S)

COMMISSIONER FOR PATENTS
Alexandria, VA 22313

SIR:

Responsive to the below indicated communication, the following drawing sheets are submitted herewith:

- ☒ 1 Replacement Drawing Sheets ☐ _____ New Drawing Sheets
☒ 1 Annotated Drawing Sheets
☒ Official Action dated April 14, 2009
☐ Notice of Allowance/Issue Fee dated _____
☐ Other dated _____

The changes and/or modifications made include the following:

The attached Annotated drawing sheets for Fig. 1 indicates the addition of 14' and 14" reference characters. The Replacement Drawing Sheet for Fig. 1 is submitted with the corrections to replace the drawings filed with the original application

Respectfully Submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.
Norman F. Oblon



Marina I. Miller
Registration No. 59,091

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 10/08)